ROOF maker

OPENING NEW PERSPECTIVES

Rooflight 2018 Volume 2





OPENING NEW PERSPECTIVES



FIXED FLAT ROOFLIGHTS










DOUBLE GLAZED RANGE - 1.0 W/m2K (set sizing – bespoke not available)

Standard spec -ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E inner pane (6/16/6) 1.0w/m2k. (CLEAR ONLY).

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	600 x 600	800 x 800	1000 x 1000	1200 x 600	1500 x 1000	2000 x 1000							
		ANTHRACITE G		9005 (marine grade satin finish) I includes insulated upstand	ENERGY GLASS								
	BLACKOUT BLIND COSTS PER UNIT (£) Colours: White or Black												
Prices (£)													
			INSULATED U	PSTAND/KERB									
		DELIVERY C	OSTS (MULTIPLE ORDERS SUE	BJECT TO A SINGLE DELIVERY	CHARGE) (£)								
MAINLAND UK			(7-10 WORK	ING DAYS)*									
DEVON/CORNWALL			(10-15 WORK	ING DAYS)*									
SCOTLAND			(20-25 WORK	ING DAYS)*									

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE









THE FIXED FLAT MODULAR ROOFLIGHT - PLEASE ENQUIRE FOR PRICING.


TRIPLE GLAZED RANGE - 0.6 W/m2K (set sizing - bespoke sizing available)

Standard spec -ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k.

0.5w/m2k if using solar glass - 0.2w/m2k if using ultimate glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8).

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1000 x 1000	1500 x 1000	2000 x 1000	2500 x 1000	3000 x 1000	1500 x 1200	2000 x 1200	1500 x 1400	2000 x 1400	2500 x 1200	3000 x 700		
			AN				rine grade satin fi insulated upstand		ASS				
Prices (£)													
		GLASS UPGRADE COSTINGS PER UNIT (£)											
BLUE/PRIVACY TINT													
ACOUSTIC LAMINATE													
SECURE LAMINATE													
SOLAR													
ULTIMATE													
				BLAC	KOUT BLIND CO	STS PER UNIT (£)	Colours: White or	Black					
					INSULA	TED UPSTAND/H	(ERB (£)						
				DELIVERY COST	S (MULTIPLE ORD	DERS SUBJECT TO	A SINGLE DELIV	ERY CHARGE) (£)					
MAINLAND UK					(7-10	0 WORKING DAY	′S)*						
DEVON/CORNWALL					(10-15	WORKING DAY	S)*						
SCOTLAND					(20-25	WORKING DAY	S)*		_	_			






WALK ON ROOFLIGHTS - Triple Glazed - 0.6 W/m2K (bespoke sizing available)

Standard spec -ENERGY SAFETY GLASS - 21.5mm toughened & laminated, easy clean outer - 20mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (21.5/20/6/16/6) 0.6w/m2k.

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1000 x 1000	1500 x 1000	2000 x 1000	2500 x 1000 (2 panes/ 1 split)	3000 x 1000 (2 panes/ 1 split)
			05 (marine grade satin finish) ENERG fully assembled and includes insulate		
Prices (£)					
		GL	ASS UPGRADE COSTINGS PER UNI	T (£)	
BLUE/PRIVACY TINT					
ACOUSTIC LAMINATE	N/A	N/A	N/A	N/A	N/A
SECURE LAMINATE	N/A	N/A	N/A	N/A	N/A
SOLAR	N/A	N/A	N/A	N/A	N/A
ULTIMATE	N/A	N/A	N/A	N/A	N/A
			NON SLIP SURFACE OPTIONS (£)		
COMFORT					
DREAM					
ELEGANCE					
SECRET					
TRUST					
		BLACKOUT E	BLIND COSTS PER UNIT (£) Colours:	White or Black	
			INSULATED UPSTAND/KERB (£)		
		DELIVERY COSTS (MUL	TIPLE ORDERS SUBJECT TO A SING	LE DELIVERY CHARGE) (£)	
MAINLAND UK			(20-25 WORKING DAYS)*		
DEVON/CORNWALL			(20 - 25 WORKING DAYS)*		
SCOTLAND			(20-25 WORKING DAYS)*		

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE





O-LITE - (round rooflight) -Triple Glazed - 0.6 W/m2K (set sizes - bespoke unavailable)

Standard spec -ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k. 0.5w/m2k if using solar glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8).

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	700D	1000D	1500D						
	BL	BLACK RAL 9005 (marine grade satin finish) ENERGY GLASS Comes in 2 pieces and includes timber upstand							
Prices (£)									
		GLASS UPGRADE COSTINGS PER UNIT (£)							
BLUE/PRIVACY TINT									
ACOUSTIC LAMINATE									
SECURE LAMINATE									
SOLAR									
ULTIMATE	N/A	N/A	N/A						
	DELIVERY COST	S (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVE	ERY CHARGE) (£)						
MAINLAND UK		(7-10 WORKING DAYS)*							
DEVON/CORNWALL		(10-15 WORKING DAYS)*							
SCOTLAND		(20-25 WORKING DAYS)*							


^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE





FLAT OPENING ROOFLIGHTS






HINGED OPENING ROOFLIGHT - Triple Glazed - 0.5 W/m2K (set sizing - for bespoke please enquire)

<u>Standard spec -ENERGY GLASS - LIGHTWEIGHT HYBRID</u> - 6mm toughened easy clean outer - 20mm argon - 0.3mm lightweight centre pane - 20mm argon - 6mm toughened LOW-E inner (6/20/0.3/20/6) 0.5w/m2k.

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1000 x 1000	1500 x 1000	2000 x 1000	1500 x 1500
	Comes	BLACK RAL 9005 (marine grad fully assembled and includes insulated upsta	de satin finish) ENERGY GLASS and, 2 remote controls and a rain sensor as s	standard
Prices (£)				
		GLASS UPGRADE CO	OSTINGS PER UNIT (£)	
BLUE/PRIVACY TINT				
ACOUSTIC LAMINATE	N/A	N/A	N/A	N/A
SECURE LAMINATE	N/A	N/A	N/A	N/A
SOLAR				
ULTIMATE	N/A	N/A	N/A	N/A
		BLACKOUT BLIND COSTS PER	UNIT (£) Colours: White or Black	
		INSULATED UPS	STAND/KERB (£)	
		DELIVERY COSTS (MULTIPLE ORDERS SUE	BJECT TO A SINGLE DELIVERY CHARGE) (£)
MAINLAND UK		(10-15 WORK	ING DAYS)*	
DEVON/CORNWALL		(10-15 WORKI	NG DAYS)*	
SCOTLAND		(20-25 WORKI	NG DAYS)*	

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE









FLAT SLIDING ROOFLIGHT - Triple Glazed - 0.6 W/m2K (set sizing - for bespoke please enquire)

Standard spec -ENERGY GLASS - 6mm toughened easy clean outer- 16mm argon - 6mm toughened LOW-E centre pane - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k.

**0.5w/m2K if using solar glass - 0.2w/m2K if using ultimate glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8).

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1000 x 1000 (gives a 1000 x 670 opening)	1500 x 1000 (gives a 1500 x 670 opening)	2000 x 1000 (gives a 2000 x 670 opening)
		ACK RAL 9005 (marine grade satin finish) ENERGY GLA and includes insulated upstand, 2 remote controls and a	
Prices (£)			
		GLASS UPGRADE COSTINGS PER UNIT (£)	
BLUE/PRIVACY TINT			
ACOUSTIC LAMINATE			
SECURE LAMINATE			
SOLAR			
ULTIMATE			
	BLAC	KOUT BLIND COSTS PER UNIT (£) Colours: White or	Black
		INSULATED UPSTAND/KERB (£)	
	DELIVERY COST	S (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVI	ERY CHARGE) (£)
MAINLAND UK		(10-15 WORKING DAYS)*	
DEVON/CORNWALL		(10-15 WORKING DAYS)*	
SCOTLAND		(20-25 WORKING DAYS)*	

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE





PYRAMID/SLIMLINE SLIDING ROOFLIGHT - Double & Triple Glazed - 1.2/0.8 W/m2K (set sizing - bespoke unavailable)

PRICING EXCLUSIVE OF VAT

Standard spec – Double glazed ENERGY GLASS - 4mm toughened easy clean outer - 16mm argon - 4mm toughened LOW-E inner (4/16/4) 1.2w/m2k -1.0w/m2k if using solar glass - 1.1w/m2k if using 6.8mm acoustic/secure glass = (4/14/6.8) Triple Glazed ENERGY GLASS (**acoustic and secure laminate unavailable)- 4mm toughened easy clean outer - 6mm Krypton - 4mm toughened LOW-E inner - (4/6/4/6/4) 0.9w/m2k - 0.8w/m2k if using solar glass.

SIZE (mm) Internal dimension	1000 x 1000 (gives a 1000 x 670 opening)	1500 x 1000 (gives a 1500 x 670 opening)	2000 x 1000 (gives a 2000 x 670 opening)								
	BLACK RAL 9005 (int. & ext.) (marine grade satin finish) ENERGY GLASS Comes fully assembled and includes insulated upstand, 2 remote controls and a rain sensor as standard										
Prices (£)											
		TRIPLE GLAZING (ENERGY GLASS) PRICES (£)									
		GLASS UPGRADE COSTINGS PER UNIT (£)									
BLUE/PRIVACY/BRONZE TINT											
ACOUSTIC LAMINATE (double glazed only)											
SECURE LAMINATE (double glazed only)											
SOLAR											
ULTIMATE	N/A	N/A	N/A								
	BLAC	CKOUT BLIND COSTS PER UNIT (£) Colours: White or	Black								
		INSULATED UPSTAND/KERB (£)									
	DELIVERY COST	S (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVE	ERY CHARGE) (£)								
MAINLAND UK		(10-15 WORKING DAYS)*									
DEVON/CORNWALL		(10-15 WORKING DAYS)*									
SCOTLAND		(20-25 WORKING DAYS)*									
ODDEDS WITH DUNING OD ODDEDS DUACED DUDING DEAL											

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE









OPEN-LITE/ ACCESS ROOFLIGHT - Triple Glazed - 0.5 W/m2K (set sizing - bespoke unavailable)

<u>Standard spec - ENERGY GLASS - LIGHTWEIGHT HYBRID</u> - 6mm toughened easy clean outer- 20mm argon - 0.3mm lightweight centre pane - 20mm argon - 6mm toughened LOW-E inner (6/20/0.3/20/6) 0.5w/m2k.

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1000 × 1000	1500 × 1000	2000 x 1000
		ACK RAL 9005 (marine grade satin finish) ENERGY GLA and includes insulated upstand, 2 remote controls and a	
Prices (£)			
		GLASS UPGRADE COSTINGS PER UNIT (£)	
BLUE/PRIVACY TINT			
ACOUSTIC LAMINATE	N/A	N/A	N/A
SECURE LAMINATE	N/A	N/A	N/A
SOLAR			
ULTIMATE	N/A	N/A	N/A
	BLA	CKOUT BLIND COSTS PER UNIT (£) Colours: White or	Black
		INSULATED UPSTAND/KERB (£)	
	DELIVERY COS	TS (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVE	RY CHARGE) (£)
MAINLAND UK		(10-15 WORKING DAYS)*	
DEVON/CORNWALL		(10-15 WORKING DAYS)*	
SCOTLAND		(20-25 WORKING DAYS)*	

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE





ROOF LANTERNS FOR FLAT ROOFS



PYRAMID ROOF LANTERN (SQUARE FOOTPRINT) - Double & Triple Glazed - 1.2/0.9 W/m2K (set sizing - bespoke available)

Standard spec - Double Glazed ENERGY GLASS - 4mm toughened easy clean outer - 16mm argon - 4mm toughened LOW-E inner (4/16/4) 1.2w/m2k -1.0w/m2k if using solar glass - 1.1w/m2k if using 6.8mm acoustic/secure glass = (4/14/6.8) Triple Glazed ENERGY GLASS (acoustic and secure laminate unavailable)- 4mm toughened easy clean outer - 6mm Krypton -4mm toughened LOW-E centre pane - 6mm Krypton - 4mm toughened LOW-E inner - (4/6/4/6/4) 0.9w/m2k - 0.8w/m2k if using solar glass.

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	700 x 700	1000 x 1000	1200 x 1200	1500 x 1500	1750 x 1750	2000 x 2000
				available (marine grade satin f acludes insulated upstand as s		
Prices (£)						
			TRIPLE GLAZING (ENE	RGY GLASS) PRICES (£)	·	
		FRAME COLO	UR UPGRADES (£) (Black=RA	AL9005) (Grey=RAL 7016) (WI	nite=RAL 9003)	*
BLACK (ext.) WHITE (int.)						
GREY (ext.) GREY (int.)						
GREY (ext.) WHITE (int.)						
WHITE (ext.) WHITE (in.)						
CUSTOM RAL (per colour)						
			GLASS UPGRADE CO	STINGS PER UNIT (£)		
BLUE/PRIVACY/BRONZE TINT						
ACOUSTIC LAMINATE (double glazed only)						
SECURE LAMINATE (double glazed only)						
SOLAR						
ULTIMATE	N/A	N/A	N/A	N/A	N/A	N/A
		BL	ACKOUT BLIND COSTS PER	UNIT (£) Colours: White or Bl	ack	
			INSULATED UP:	STAND/KERB (£)		

Continued on next page: Delivery options and prices







PYRAMID ROOF LANTERN (SQUARE FOOTPRINT) - Continued

SIZE (mm) Internal dimension	700 x 700	1000 x 1000	1200 x 1200	1500 x 1500	1750 x 1750	2000 x 2000								
		DELIVERY OPTIONAL UPGRADES (£)												
FULLY ASSEMBLED ROOFLIGHT														
INSTALLATION INCLUDED														
		DELIVERY CO	STS (MULTIPLE ORDERS SUE	BJECT TO A SINGLE DELIVER	Y CHARGE) (£)	•								
MAINLAND UK		(7-10 V	VORKING DAYS SUPPLY ONL	Y - 10-15 WITH INSTALLATI	ON)*									
DEVON/CORNWALL		(10-15 V	VORKING DAYS SUPPLY ONL	Y - 15-20 WITH INSTALLATI	ON)*									
SCOTLAND		(20-25 WC	DRKING DAYS SUPPLY ONLY	- INSTALLATION NOT AVAII	ABLE)*									

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE



SLIMLINE ROOF LANTERN (RECTANGULAR FOOTPRINT) - Double & Triple Glazed - 1.2/0.9 W/m2K (set sizing - bespoke available)

Standard spec - Double Glazed ENERGY GLASS - 4mm toughened easy clean outer - 16mm argon - 4mm toughened LOW-E inner (4/16/4) 1.2w/m2k -1.0w/m2k if using solar glass - 1.1w/m2k if using 6.8mm acoustic/secure glass = (4/14/6.8) Triple Glazed ENERGY GLASS (acoustic and secure laminate unavailable)- 4mm toughened easy clean outer - 6mm Krypton -4mm toughened LOW-E centre pane - 6mm Krypton - 4mm toughened LOW-E inner - (4/6/4/6/4) 0.9w/m2k - 0.8w/m2k if using solar glass.

PRICING EXCLUSIVE OF VAT

SIZE (mm) Internal dimension	1500 X 1000	1500 X 1200	2000 X 1000	2500 X 1000	2000 X 1500	2500 X 1200	3000 X 1000	3500 X 1000	4000 X 1000	4000 X 1300	3000 X 1500	3500 X 1500	4000 X 1600	3000 X 2000	5000 X 1200	6000 X 1200	5000 X 1600	4000 X 2000
		BLACK (int. & ext.) RAL 9005 - alternative colours available (marine grade satin finish) ENERGY GLASS. Comes in flat packed Kit Form and includes insulated upstand as standard																
Prices (£)																		
		TRIPLE GLAZING (ENERGY GLASS) PRICES (£)																
			,			FRAM	E COLOUR I	JPGRADES (:	F) (Black=RA	J 9005) (Grey	ν=RΔI 7016)	(White=RAI	9003)					
BLACK (ext.)						TIVALVI	LCOLOGR	J. GIVADES (L, (Diack-K)	(E7003) (GIE	y-RAL 7010)	(**IIIC=ICAL	. 7000)					
WHITE (int.)																		
GREY (ext.) GREY (int.)																		
GREY (ext.) WHITE (int.)																		
WHITE(ext.) WHITE(int.)																		
CUSTOM RAL (per colour)																		
								GLASS U	PGRADE CO	STINGS PER	UNIT (£)							
BLUE/PRIVACY/ BRONZE TINT																		
ACOUSTIC LAMINATE (double glazed only)																		
SECURE LAMINATE (double glazed only)																		
SOLAR																		
ULTIMATE	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Continued on next page: Opening vent, Blackout blind and delivery options / Delivery prices







SLIMLINE ROOF LANTERN (RECTANGULAR FOOTPRINT) - Continued

SIZE (mm) Internal dimension	1500 X 1000	1500 X 1200	2000 X 1000	2500 X 1000	2000 X 1500	2500 X 1200	3000 X 1000	3500 X 1000	4000 X 1000	4000 X 1300	3000 X 1500	3500 X 1500	4000 X 1600	3000 X 2000	5000 X 1200	6000 X 1200	5000 X 1600	4000 X 2000
		OPENING VENTS (£) PRICE PER VENT																
Manual with pole																		
switch control																		
Climate/rain sensor																		
		BLACKOUT BLIND COSTS PER UNIT (£) Colours: White or Black																
								INS	ULATED UPS	STAND/KERE	3 (£)							
								DELIV	ERY OPTION	NAL UPGRAD	DES (£)							
FULLY ASSEMBLED ROOFLIGHT																		
INSTALLATION INCLUDED																		
						DELIV	ERY COSTS	(MULTIPLE (ORDERS SUE	BJECT TO A S	INGLE DELI	VERY CHAR	GE) (£)					
MAINLAND UK							(7-10 WOR	KING DAYS	SUPPLY ONL	Y - 10-15 W	/ITH INSTAL	LATION)*						
DEVON/CORNWALL							(10-15 WOR	KING DAYS	SUPPLY ONL	Y - 15-20 W	/ITH INSTAL	LATION)*						
SCOTLAND						(20	D-25 WORKI	NG DAYS SU	IPPLY ONLY	- Installa	TION NOT A	VAILABLE)*						

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE





PITCHED ROOFLIGHTS FOR TILE/CLAD/MEMBRANE ROOFS







LUXLITE FRAMELESS ROOFLIGHT (FIXED NON OPENING) - DOUBLE GLAZED 1.0 W/m2K (set sizing - bespoke unavailable)

Standard spec - ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E inner pane (6/16/6) 1.0w/m2k. (CLEAR ONLY)

PRICING EXCLUSIVE OF VAT

SPECIFY ROOF TYPE (TILED, MEMBRANE or CLAD) AND ANGLE OF PITCH, AT THE POINT OF ORDER AS THIS MAY AFFECT HOW WE MANUFACTURE YOUR ROOFLIGHT.

SPECIFY ORIENTATION (PORTRAIT or LANDSCAPE) AT THE POINT OF ORDER

SIZE (mm) Internal dimension	400 x 400	800 x 500	1000 x 500	1200 x 500	800 x 700	1000 x 700	1200 x 700				
	BLACK RAL 9005 (marine grade satin finish) ENERGY GLASS. Comes fully assembled and includes built in flashing tray										
Prices (£)											
	GLASS UPGRADE COSTINGS PER UNIT (£)										
BLUE/PRIVACY TINT	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
ACOUSTIC LAMINATE	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
SECURE LAMINATE	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
SOLAR	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
ULTIMATE	N/A	N/A	N/A	N/A	N/A	N/A	N/A				
	DELIVERY COSTS (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVERY CHARGE) (£)										
MAINLAND UK	(10-15 WORKING DAYS)*										
DEVON/CORNWALL	(15-20 WORKING DAYS)*										
SCOTLAND	(20-25 WORKING DAYS)*										

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE



LUXLITE FRAMELESS ROOFLIGHT (FIXED NON OPENING) - TRIPLE GLAZED 0.6 W/m2K (set sizing -bespoke sizing available)


Standard spec - ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k - 0.5w/m2k if using solar glass - 0.2w/m2k if using ultimate glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8). PRICING EXCLUSIVE OF VAT

> SPECIFY ROOF TYPE (TILED, MEMBRANE or CLAD) AND ANGLE OF PITCH, AT THE POINT OF ORDER AS THIS MAY AFFECT HOW WE MANUFACTURE YOUR ROOFLIGHT.

SPECIFY ORIENTATION (PORTRAIT or LANDSCAPE) AT THE POINT OF ORDER

SIZE (mm) Internal dimension	400 x 400	600 x 600	900 x 700	1000 x 1000	700 x 1400	1200 x 1500	1000 x 2000	1200 x 2400	1000 x 3000	
	BLACK RAL 9005 (marine grade satin finish) ENERGY GLASS. Comes fully assembled and includes built in flashing tray									
Prices (£)										
	GLASS UPGRADE COSTINGS PER UNIT (£)									
BLUE/PRIVACY TINT										
ACOUSTIC LAMINATE										
SECURE LAMINATE										
SOLAR										
ULTIMATE										
	DELIVERY COSTS (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVERY CHARGE) (£)									
MAINLAND UK	(10-15 WORKING DAYS)*									
DEVON/CORNWALL	(15-20 WORKING DAYS)*									
SCOTLAND	(20-25 WORKING DAYS)*									

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE







LUXLITE FRAMELESS ROOFLIGHT (OPENING - TOP HINGED) - TRIPLE GLAZED 0.6 W/m2K & 0.5 W/m2k (set sizing -bespoke sizing available)

SMALL LUXLITE: Standard spec - ENERGY GLASS - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k. 0.5w/m2k if using solar glass - 0.2w/m2k if using ultimate glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8).

LAREGE LUXLITE: Standard spec - ENERGY GLASS - LIGHTWEIGHT HYBRID - 6mm toughened easy clean outer - 16mm argon - 6mm toughened LOW-E centre - 16mm argon - 6mm toughened LOW-E inner (6/16/6/16/6) 0.6w/m2k - 0.5w/m2k if using solar glass - 0.2w/m2k if using ultimate glass. Secure/Acoustic glass = 6.8mm laminated inner pane (6/16/6/16/6.8).

PRICING EXCLUSIVE OF VAT

SPECIFY ROOF TYPE (TILED, MEMBRANE or CLAD) AND ANGLE OF PITCH, AT THE POINT OF ORDER AS THIS MAY AFFECT HOW WE MANUFACTURE YOUR ROOFLIGHT.

SPECIFY ORIENTATION (PORTRAIT or LANDSCAPE) AT THE POINT OF ORDER SIZE (mm) 1200 x 2400 1000 x 3000 900 x 700 600 x 600 1000 x 1000 700 x 1400 1200 x 1500 1000 x 2000 Internal dimension **Landscape only **Landscape only BLACK RAL 9005 (marine grade satin finish) ENERGY GLASS. Comes fully assembled and includes built in flashing tray, wiring and a Rocker Switch Prices (£) GLASS UPGRADE COSTINGS PER UNIT (£) **BLUE/PRIVACY TINT ACOUSTIC LAMINATE** N/A N/A **SECURE LAMINATE** N/A N/A **SOLAR** ULTIMATE N/A N/A UPGRADE TO REMOTE CONTROLLED OPERATION WITH RAIN SENSOR (£) DELIVERY COSTS (MULTIPLE ORDERS SUBJECT TO A SINGLE DELIVERY CHARGE) (£) MAINLAND UK (10-15 WORKING DAYS)* **DEVON/CORNWALL** (15-20 WORKING DAYS)* **SCOTLAND** (20-25 WORKING DAYS)*

^{*}ORDERS WITH BLINDS OR ORDERS PLACED DURING PEAK TRADE MAY TAKE LONGER - PLEASE ENQUIRE

^{**}LARGEST ACHIEVABLE OPENING LUXLITE IN PORTRAIT ORIENTATION = 2000 X 1000. ANYTHING EXCEEDING THIS SIZE WILL HAVE TO BE POSITIONED LANDSCAPE, OTHERWISE BE FIXED/NON OPENING.



OPENING NEW PERSPECTIVES